APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	te of filing in State Engineer's Office	YIY	1 1988
			3 1988
Co	rrected application filed	UL :	1 1988
Ma	p filed	JL 1	1 1988
	The applicantCoral Resources, Inc		
E	Street and No. or P.O. Box No.	., of	Crescent Valley
1	levada 89821 , herel	oy ma	ke application for permission to appropriate the public
			is a corporation, give date and place of incorporation; if a
cop	artnership or association, give names of members.)	Ir	corporated in Nevada July 11, 1986
	•		
1.	The source of the proposed appropriation isun	derg	Pound Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is	e	cond-foot cquals 448.83 gals. per min.
3.	The water to be used forMi	ning	nanufacturing, domestic, or other use. Must limit to one use.
	If use is for:		
	(a) Irrigation, state number of acres to be irrigated		
			atered
			Mining_and_milling
	(d) Power:)	· · · · · · · · · · · · · · · · · · ·
	•		
	•		
5.			g point NE SW Section 16 T28-N - R 47E Describe as being within a 40-acre subdivision of public
	MDB & M. Lander County. Nevada at a survey, and by course and distance to a section corner. If on unsurveyed la	DO:	nt from which the NE corner of section 9, hould be so stated.
	T 28N - R 47 E, bears N 17 ⁰ 50' 27"	E.a.	distance of 9510.45 feet.
6.	Place of use SW4 Section 16, T28N - R 4	7E division	Lander County, Nevada . If on unsurveyed land, it should be so stated.
7.	Use will begin about January 1st and Month and Day	end	bout. December 31 st, of each year.
	· -		f NRS 535.010 you may be required to submit plans and
	•		illed well with pump and motor State manner in which water is to be diverted, i.e. diversion structure, ditches and
			State manner in which water is to be diverted, i.e. diversion structure, ditches and
O	flumes, drilled well with pump and motor, etc. Set impated cost of works \$2		DO.
у.	. Doubleton Cost Of WOLKS		

10.	Estimated time required to construct works. 60 days af	ter permit approval completed, describe works.
11.	Estimated time required to complete the application of water to benefici	ial use 90 days after permit approv
12.	Remarks: For use other than irrigation or stock watering, state numb consumptive use.	er and type of units to be served or annual
	Water to be used for processing gold ore using	heap-leach methods. Annual
	consumptive use is estimated at 50,000,000 ga	llons.
		C. Arnold agent x 8 t Valley, Nevada 89821
	APPROVAL OF STATE	E ENGINEER
mour	nt of water herein granted is only a temporary allo	wance and that the final water
ight lace easo wo ust nsta ccur eeter compl tate se c 7.46	nt of water herein granted is only a temporary allot obtained under this permit will be dependent uponed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline not must be installed before any use of water letion of Work is filed. This source is located with endinger, pursuant to NRS 534.030. The State retof the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2)	on the amount of water actually lat this right must allow for a well shall be equipped with a fif the well is flowing, a valve se. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the line right of ingress and egress and 52175 shall not exceed
ight lace easo wo ust nsta ccur eeter ompl tate se c 7.46	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline not make measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located wite Engineer, pursuant to NRS 534.030. The State retoof the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) camount of water to be appropriated shall be limited to the amount which	on the amount of water actually lat this right must allow for a well shall be equipped with a fif the well is flowing, a valve se. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the sains the right to regulate the she right of ingress and egress 174 and 52175 shall not exceed a can be applied to beneficial use, and not to
ight lace easc wo ust nsta ccur eter ompl tate se c T.46 CONT	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline in the measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with endinger, pursuant to NRS 534.030. The State retto of the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) Tamount of water to be appropriated shall be limited to the amount which the medical conditions and the conditions are conditions and the conditions and the conditions are conditions are conditions and the conditions are conditions and the conditions are conditions and the conditions are	on the amount of water actually lat this right must allow for a well shall be equipped with a fif the well is flowing, a valve se. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the line right of ingress and egress and 174 and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46
ight Lace Lace Lace Lace Lace Lace Lace Lace	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline not make measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located wite Engineer, pursuant to NRS 534.030. The State retoof the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) camount of water to be appropriated shall be limited to the amount which	on the amount of water actually lat this right must allow for a well shall be equipped with a fif the well is flowing, a valve se. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the line right of ingress and egress and 174 and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46
ght ace as constant account ac	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline in the measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with endinger, pursuant to NRS 534.030. The State retto of the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) Tamount of water to be appropriated shall be limited to the amount which the medical conditions and the conditions are conditions and the conditions and the conditions are conditions are conditions and the conditions are conditions and the conditions are conditions and the conditions are	an the amount of water actually lat this right must allow for a well shall be equipped with a fi the well is flowing, a valve lee. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the leains the right to regulate the learn the right of ingress and egress and egress and sall and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46
ght ace as of the second of th	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline in rate measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with the Engineer, pursuant to NRS 534.030. The State rete of the water herein granted at any and all times. This Permit does not extend the permittee to tublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) Tanount of water to be appropriated shall be limited to the amount which million gallons annually. Tinuel of water to be appropriated shall be limited to the amount which million gallons annually.	on the amount of water actually lat this right must allow for a sewell shall be equipped with a life the well is flowing, a valve lee. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the line right of ingress and egress lared and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46
ght ace as constant actions according to the constant according to the	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline not rate measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with endinger, pursuant to NRS 534.030. The State retoof the water herein granted at any and all times. This Permit does not extend the permittee to ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which million gallons annually. Trivial of the water to be appropriated shall be limited to the amount which million gallons annually. Trivial of the water to be appropriated shall be limited to the amount which million gallons annually.	on the amount of water actually lat this right must allow for a sewell shall be equipped with a life the well is flowing, a valve life. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the life right of ingress and egress lift and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46 November 28, 1989 November 28, 1989 November 28, 1989
ght ace as constant actions at a constant actions actions at a constant actions action	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline in rate measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with the Engineer, pursuant to NRS 534.030. The State retof the water herein granted at any and all times. This Permit does not extend the permittee the ublic, private or corporate lands. The total combined duty of water under Permits 52 amount of water to be appropriated shall be limited to the amount which ead the permitted to the amount which million gallons annually. TINUED ON PAGE 2) camount of water to be appropriated shall be limited to the amount which million gallons annually. The must be prosecuted with reasonable diligence and be completed on or of of completion of work shall be filed on or before	on the amount of water actually lat this right must allow for a sewell shall be equipped with a lift the well is flowing, a valve lee. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the leains the right to regulate the line right of ingress and egress land and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46 Doctober 28, 1989 November 28, 1989 November 28, 1989 October 28, 1991 October
ght ace as of the second secon	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline in rate measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with the engineer, pursuant to NRS 534.030. The State retof the water herein granted at any and all times. This Permit does not extend the permittee to ublic, private or corporate lands. The total combined duty of water under Permits 52 million gallons annually. TINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which million gallons annually. Treatment of the water to be appropriated shall be limited to the amount which million gallons annually. Treatment of water to be appropriated shall be limited to the amount which million gallons annually. The must be prosecuted with reasonable diligence and be completed on or of of completion of work shall be filed on or before	on the amount of water actually lat this right must allow for a sewell shall be equipped with a life the well is flowing, a valve life. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the life right of ingress and egress life and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46 November 28, 1989 October 28, 1991 November 28, 1991
ght ace as of the second secon	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline neasurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with the water herein granted at any and all times. This Permit does not extend the permittee to ublic, private or corporate lands. The total combined duty of water under Permits 52 amount of water to be appropriated shall be limited to the amount which million gallons annually. TINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which million gallons annually. The water to be appropriated shall be limited to the amount which million gallons annually. The millio	on the amount of water actually lat this right must allow for a second well shall be equipped with a life the well is flowing, a valve lee. A totalizing meter must be lear the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the lains the right to regulate the line right of ingress and egress laterally and 52175 shall not exceed a can be applied to beneficial use, and not to but not to exceed 97.46 November 28, 1989
ght ace as constant and ace as constant ace	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline mater measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with ending the water herein granted at any and all times. This Permit does not extend the permittee to the water herein granted at any and all times. The permit does not extend the permittee to tublic, private or corporate lands. The total combined duty of water under Permits 52 does amount of water to be appropriated shall be limited to the amount which end to water to be appropriated shall be limited to the amount which end to the prosecuted with reasonable diligence and be completed on or of of completion of work shall be filed on or before. The total combined duty of water under Permits 52 does amount of water to be appropriated shall be limited to the amount which end to the amount which end to the amount of water to be appropriated shall be limited to the amount which end to the application of work shall be filed on or before. The total combined filed to beneficial use shall be filed on or before. The private or corporate lands. The total combined filed to the amount which the amount of water to beneficial use shall be filed on or before. The private or corporate lands. The total combined filed to the amount which the amount of water to beneficial use shall be filed on or before. The private or corporate lands. The total combined filed to the amount which the amount which the amount of water to beneficial use shall be filed on or before. The private or corporate lands and the private of the amount which the	on the amount of water actually lat this right must allow for a sewell shall be equipped with a life the well is flowing, a valve life. A totalizing meter must be life the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the life ains the right to regulate the life right of ingress and egress lift and 52175 shall not exceed life and to be applied to beneficial use, and not to but not to exceed 97.46 November 28, 1989
ight Lace Lace Lace Vo Ust Insta Cour Insta I	t obtained under this permit will be dependent upoed to beneficial use. It is also understood the onable lowering of the static water level. This (2) inch opening for measuring depth to water. It be installed and maintained to prevent wastalled and maintained in the discharge pipeline neate measurements must be kept of water place to be must be installed before any use of water letion of Work is filed. This source is located with endinger, pursuant to NRS 534.030. The State retoof the water herein granted at any and all times. This Permit does not extend the permittee to utilic, private or corporate lands. The total combined duty of water under Permits 52 manually. TINUED ON PAGE 2) Tamount of water to be appropriated shall be limited to the amount which mailtion gallons annually. Trivial of completion of work shall be filed on or before	on the amount of water actually lat this right must allow for a sewell shall be equipped with a life the well is flowing, a valve life. A totalizing meter must be livered the point of diversion and beneficial use. The totalizing begins, or before the Proof of thin an area designated by the life the right to regulate the life right of ingress and egress life and 52175 shall not exceed life can be applied to beneficial use, and not to but not to exceed 97.46 November 28, 1989

52174

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

